

5.1

PT-101
~90°C
~60s
ZA-104

5.2

PT-101
LT-84PE
3,9x19
x2

5.3

M5x20
LT-84PE

LM-75
✓ok

Sse-72/6PE
+ RS-160
✓ok

6.1

LM-74abt
RS-160

6.2

LM-75
2 x Ø10

6.3

Sse-72/6PE
M8
ZL-80
M8x20

7.1

Sse-72/6PE
+LT-84PE
ZA-84P
3,5x20
ZA-102

7.2

Sse-72/6PE
ZA-84P
PP-90

7.3

PP-90
PP-88

8.1

Sse-72/6+LT-84
M8
M6x20
MO-77
M8x20

8.2

Sse-72/6PE
PS-93
WD-144
x2
Ø10

7.4

PP-90
PP-88
max. 5mm


~140 kg

- 230x700 x8
- 2+1
- SD-43 x1
- ED-151N x1
- ED-1500 x2
- ED-150 x7
- ED-152 x1
- S4 x1
- S6 x1
- ZA-84P x31
- WD-144 x97
- SR-143 x10
- ZL-80 x2
- WS-90d x2
- WS-90dk x2
- WS-92dk x2
- LT-84PE x5
- RS-160 x2
- PP-88 x6
- M8x10 x48
- 3,9x19 x11
- M8x20 x2
- M5x20 x5
- M8 x2
- M5 3,5x20 x5
- 3,5x20 x31
- PS-93 x3
- ZA-102 x5
- ZA-104 x4
- LM-74abt x1
- LM-75 x1
- Sse-72/6PE x5
- WP-110 x2,5 m
- PP-90 Ø5 6x1,5m +6x1m
- PT-101 x2,5 m


Dimensions:
890
650
~920
Ø25
Ø40

Warning symbols: + (Warning), (Person with lightning bolt), (Person with fire), (Person with lightning bolt and fire), (Person with lightning bolt and fire and lightning bolt).


ver 02.16zm (2/3)




51Z




52Z




53Z




54Z



55Z



56Z



57Z

